# **SAFETY DATA SHEET**

## Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - Europe

Version: 01 Date of revision: 2022/08/08

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: **OXYGEN J2 Fix Tone Fluid-Tone Stabilizer for Eyebrows and Eyelashes** 

Product code:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance/mixture: PC39: Cosmetics, personal care products. SU21 - Professional uses

## 1.3. Details of the supplier of the safety data sheet

| Manufacturer: | GOLDEN RATIO TRADING L.L.C. Address: UAE, DUBAI, OUD METHA, 8B STREET, REEM 4 BUILDING, OFFICE 5 |  |
|---------------|--|--|
| Producer:     | GOLDEN RATIO TRADING L.L.C. Address: UAE, DUBAI, OUD METHA, 8B STREET, REEM 4 BUILDING, OFFICE 5 |  |

1.4. Emergency telephone number

LATVIA - State fire and rescue service: (+371) 112; (+371) 113;

The national poison information center: +371 67042468;

GERMANY - International emergency number: +49 180 2273-112.

Transport Emergency phone number: (24 h service), phone: +49 621 60-43333;

UNITED KINGDOM - National Poisons Information Service (24 h service),

phone: +44 (0) 844-892-0111 (UK only);

FRANCE - INRS FRANCE: phone: +33 (0)1 45 42 59-59.

FOR OTHER EU COUNTRIES, please consult:

http://echa.europa.eu/help/nationalhelp\_contact\_en.asp

Emergency telephone for other regions to be filled out by local business

| SECTION 2: Hazards identification                         |  |
|---|--|
| 2.1. Classification of the substance or                   | mixture  |
| Product definition  | Mixture  |
| Classification according to regulation (EC) No 1272/2008: | This product is a cosmetics product and as cosmetic product does not be a subject to the CLP Regulation (EC) no 1272/2008. |

# 2.2. Label elements

According to regulation (EC) No

1272/2008:

Symbol: None Signal word: None Hazard statements: None Hazardous ingredients: None Precautionary statements: Nove Not applicable.

Supplemental label elements Special packaging requirements

No, not applicable.

Containers to be fitted with child-

resistant fastenings:

No, not applicable.

Tactile warning of danger :

## 2.3. Other hazards

Product does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH

(Regulation (EC) No 1907/2006).

See section 11 for more detailed information on health effects and symptoms.

# **SECTION 3: Composition/information on ingredients**

3.1. Substances

2.2 Miyturos Solution of the following hazardous substances and non-hazardous substances

| 5.2. IVIIXLUI es | Solution of the following hazardor | Solution of the following nazardous substances and non-nazardous substances. |   |      |  |  |
|------------------|------------------------------------|--|---|------|--|--|
| Ingredient name  | Identifiers                        | Conc.%   | Classification according to Regulation (EC) 1272/2008 (CLP) | Туре |  |  |
| Aqua             | EC: 231-791-2                      | 87,90-   | No classified   | -    |  |  |
|                  | CAS: 7732-18-5                     | 90,34  |   |      |  |  |
|                  | INDEX: Not available               |  |   |      |  |  |
|                  | REACH: Not available               |  |   |      |  |  |
| Hexylene Glycol  | EC: 203-489-0                      | 1,8 - 2,0  | Skin Irrit. 2:H315;   | [1]  |  |  |
|                  | CAS: 107-41-5                      |  | Eye Irrit. 2:H319   |      |  |  |
|                  | INDEX: Not available               |  |   |      |  |  |

|                                       | REACH: Not available                            |             |  |     |
|---------------------------------------|---|-------------|--|-----|
| Hydrolyzed Silk                       | EC: 306-235-8                                   | 2,0 - 2,5   | No classified                                | -   |
|                                       | CAS: 96690-41-4                                 |             |  |     |
|                                       | INDEX: Not available                            |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| Hydrolyzed Keratin                    | EC: 274-001-1                                   | 2,0 - 2,5   | No classified                                | -   |
|                                       | CAS: 69430-36-0                                 |             |  |     |
|                                       | INDEX: Not available<br>REACH: Not available    |             |  |     |
| Coult and I am and an Dood Fortune at |   | 00.10       | A 2-11204                                    |     |
| Sophora Japonica Bud Extract          | EC: 290-329-8<br>CAS: 90131-19-4                | 0,8 - 1,0   | Acute Tox. 3:H301                            | -   |
|                                       | INDEX: Not available                            |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| Phenoxyethanol                        | EC: 204-589-7                                   | 0,63 - 0,71 | Acute Tox. 4:H302;                           | [1] |
| Thenoxyculation                       | CAS: 122-99-6                                   | 0,03 0,72   | Eye Irrit. 2:H319                            | [-] |
|                                       | INDEX: Not available                            |             | _,   |     |
|                                       | REACH: Not available                            |             |  |     |
| Gluconolactone                        | EC: 202-016-5                                   | 0,4 - 0,5   | No classified                                | -   |
|                                       | CAS: 90-80-2                                    | , ,         |  |     |
|                                       | INDEX: Not available                            |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| Polyquaternium-10                     | EC: *617-262-2/ *611-015-2/-/-                  | 0,1 - 0,2   | Aquatic Chronic 2:H411                       | [1] |
|                                       | /*614-667-6/-                                   |             |  |     |
|                                       | CAS: 81859-24-7/53568-66-4/                     |             |  |     |
|                                       | 54351-50-7 / 55353-19-0 /                       |             |  |     |
|                                       | 68610-92-4 / 81859-24-7                         |             |  |     |
|                                       | INDEX: Not available                            |             |  |     |
| 2 1                                   | REACH: Not available                            |             |  |     |
| Panthenol                             | EC: 201-327-3/240-540-6                         | 0,8 - 1,0   | No classified                                | -   |
|                                       | CAS: 81-13-0/16485-10-2<br>INDEX: Not available |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| Aroma                                 | EC: 202-086-7                                   | 0,1 - 0,3   | No classified                                |     |
| Aloma                                 | CAS: 91-64-5                                    | 0,1 0,5     | No classifica                                |     |
|                                       | INDEX: Not available                            |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| PEG-12 Dimethicone                    | EC: Not available                               | 0,8 - 1,0   | No classified                                | -   |
|                                       | CAS: Not available                              |             |  |     |
|                                       | INDEX: Not available                            |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| Lactic Acid                           | EC: 200-018-0                                   | 0,1 - 0,2   | Skin Irrit. 2:H315;                          | [1] |
|                                       | CAS: 50-21-5                                    |             | Eye Damage 1:H318                            |     |
|                                       | INDEX: Not available                            |             |  |     |
|                                       | REACH: Not available                            |             |  |     |
| Cetrimonium Chloride                  | EC: 203-928-6                                   | 0,06 - 0,09 | Acute Tox. 4:H302;                           | [1] |
|                                       | CAS: 112-02-7                                   |             | Acute Tox. 3:H311;                           |     |
|                                       | INDEX: Not available                            |             | Skin Corr. 1B:H314;                          |     |
|                                       | REACH: Not available                            |             | Eye Damage 1:H318;                           |     |
|                                       |   |             | Aquatic Chronic 1:H410; Aquatic acute 1:H400 |     |
| Ed. II. I.I. :                        | EC: 409 090 3                                   | 0,07 - 0,1  | Eye Damage 1:H318;                           | [1] |
|                                       | EC: 408-080-2                                   | 0,07 - 0,1  |  | [1] |
| Ethylhexylglycerin                    |   |             | Aquatic Chronic 2.H412                       |     |
| Etnyinexyigiycerin                    | CAS: 70445-33-9<br>INDEX: Not available         |             | Aquatic Chronic 3:H412                       |     |

See section 16 for the full text of the H phrases declared above.

# Occupational exposure limits, if available, are listed in section 8. Type:

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] PBT-substance
- [4] vPvB-substance

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments: Eye bathing equipment should be available on the premises.

See section 11 for more detailed information on health effects and symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Unsuitable extinguishing media: Do not use full power water jet.

# 5.2. Special hazards arising from the substance or mixture

Risk of explosion if heated under confinement. In a fire or if heated, a pressure increase will occur

and the container may burst.

Decomposition products may include the following materials: carbon dioxide, carbon monoxide and

unidentified organic and inorganic compounds.

This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterways, sewer or drain.

## 5.3. Advice for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency

personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment

6.1.2. For emergency

responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene

measures.

# 6.2. Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. Harmful to aquatic life with long lasting effects.

# 6.3. Methods and material for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible,

absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

Contaminated absorbent material may pose the same hazard as the spilt product.

#### 6.4. Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance.

#### 7.1. Precautions for safe handling

Protective measures:

Put on appropriate personal protective equipment (see Section 8). Avoid getting in eyes or on skin or clothing. Avoid breathing vapor or mist. Avoid ingesting. Avoid relies to environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residues and can be hazardous. Do not reuse

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store between +5 °C and +25 °C. Keep away from heat and sources of ignition. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Do not store above the following

temperature:

No specific recommendation.

7.3. Specific end use(s)

Recommendations: Industrial sector specific

solutions:

Customer use. Not available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance.

## 8.1. Control parameters

Occupational exposure limits

Limit values are laid down throughout the EU, but each Member State establishes its own national OELs, often going beyond EU legislation ((IOELV). OELs are set by competent national authorities and other relevant institutions.

# EU: Indicative Occupational Exposure Limit Value (IOELV):

| Culturate una conse    | Limit value | e 8 hours | Limit value short term |     |
|------------------------|-------------|-----------|------------------------|-----|
| Substance name         | mg/m³       | mg/m³ ppm |                        | ppm |
| Values not established | -           | -         | -                      | -   |

Latvia (AER, reg.325/2011):

| Culastanaa nanaa       | Limit value 8 hours |     | Limit value short term (15 min) |     |
|------------------------|---------------------|-----|---------------------------------|-----|
| Substance name         | mg/m³               | ppm | mg/m³                           | ppm |
| Values not established | -                   | -   | -                               | -   |

United Kingdom EH40/2005

| Substance name         | Limit value | e 8 hours | Limit value short term (15 min) |   |  |
|------------------------|-------------|-----------|---------------------------------|---|--|
|                        | mg/m³       | ppm       | ppm mg/m³ p                     |   |  |
| Values not established | -           | -         | -                               | - |  |

Recommended monitoring Procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

# 8.2. Exposure controls

Appropriate engineering

Controls:

Use with adequate ventilation.

# **Individual protection measures:**

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash

contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to

the workstation location.

Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment

> indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of

protection: chemical splash goggles.

Skin protection:

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all

times when handling chemical products if a risk assessment indicates this is necessary.

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting

of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** Personal protective equipment for the body should be selected based on the task being performed

and the risks involved and should be approved by a specialist before handling this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected based on the

task being performed and the risks involved and should be approved by a specialist before handling

this product.

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk

> assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or

engineering modifications to the process equipment will be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Homogeneous single-phase or multiphase liquid (emulsion) without impurities.

Colour Characteristic. Odour Characteristic. Odour threshold Not applicable.

3.8.

Melting point/freezing point Not available. Initial boiling point and boiling range Not available. Flash point Not available. Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or Not available.

explosive limits

Not applicable. Vapour pressure Vapour density Not applicable. Relative density Not available. Solubility(ies) Not available. Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature Not available. Decomposition temperature Not available. Not available. Viscosity Not available **Explosive properties** Oxidising properties

9.2. Other information

Not available.

Not available.

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

Not available.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Reactive or incompatible materials not known.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

|   | produced.            |                |  |  |
|---|----------------------|----------------|--|--|
| SECTION 11: Toxicological inforr                | mation               |                |  |  |
| 11.1. Information on toxicological e            |                      |                |  |  |
| Acute toxicity estimate (ATE):                  | Product is not o     | lassified.     |  |  |
| Acute toxicity of ingredients:                  |                      |                |  |  |
| Hexylene Glycol                                 | LD50 (Oral)          | Rat            | 2000 mg/kg bw                            |  |
|   | LD50 (Dermal)        | Rabbit         | 2000 mg/kg bw                            |  |
|   |                      |                |  |  |
| Irritation/ Corrosion:                          | Product is not c     | lassified.     |  |  |
| Hexylene Glycol                                 | Skin: slightly irri  | tating.        |  |  |
| .,,   | Eye: slightly irrit  | ating.         |  |  |
| Sensitisation:                                  |                      |                |  |  |
| Hexylene Glycol                                 | Skin: not sensiti    | sing           |  |  |
|   |                      | Ü              | ct according to our database.            |  |
| Repeated dose toxicity:                         | Product is not c     |                |  |  |
|   | No known effec       |                | o our database.                          |  |
| Carcinogenicity:                                | Product is not c     |                |  |  |
|   | No known effec       |                | o our database.                          |  |
| Mutagenicity:                                   | Product is not c     |                |  |  |
|   | No known effec       |                | o our database.                          |  |
| Toxicity for reproduction:                      | Product is not c     |                | our database.                            |  |
| Toxicity for reproduction.                      | No known effec       |                | o our database                           |  |
| Specific target organ toxicity. Single          |                      |                |  |  |
| Specific target organ toxicity. Single          |                      |                |  |  |
| Assissation borond                              | No known effect      |                | o our database.                          |  |
| Aspiration hazard                               |                      |                | a avu datahaaa                           |  |
| 5   | No known effec       | according t    | o our database.                          |  |
| Potential acute health effects                  | Na lua avvua ai maid | :+ff+-         | an autical haranda                       |  |
| Inhalation:                                     |                      |                | s or critical hazards.                   |  |
| Skin contact:                                   |                      |                | tion and irritation.                     |  |
| Eye contact:                                    | May cause sligh      |                |  |  |
| Ingestion: Symptoms related to the physical, or |                      |                | s or critical hazards.                   |  |
| Inhalation:                                     |                      |                | s or critical hazards.                   |  |
| Skin contact:                                   |                      |                | ude the following: irritation, redness.  |  |
| Eye contact:                                    |                      |                | ude the following: irritation, redness:  |  |
| Ingestion:                                      |                      | •              | s or critical hazards.                   |  |
| Delayed and immediate effects and               |                      |                |  |  |
| Short term exposure:                            |                      |                | and long term exposure                   |  |
| Potential immediate effects:                    | Not available.       |                |  |  |
| Potential delayed effects:                      | Not available.       |                |  |  |
| Long term exposure:                             | Not available.       |                |  |  |
| Potential immediate                             | Not available.       |                |  |  |
| effects:  |                      |                |  |  |
| Potential delayed effects:                      | Not available.       |                |  |  |
| Potential chronic health effects:               |                      |                |  |  |
| Conclusion/Summary                              | Not available.       |                |  |  |
| General   | No known signif      | icant effects  | or critical hazards.                     |  |
| Carcinogenicity                                 | _                    |                | or critical hazards.                     |  |
| Mutagenicity                                    |                      |                | or critical hazards.                     |  |
| Teratogenicity                                  | No known signit      | icant effects  | s or critical hazards.                   |  |
| Developmental effects                           | _                    |                | s or critical hazards.                   |  |
| Fertility effects                               | No known signif      | icant effects  | s or critical hazards.                   |  |
| 11.2. Other information                         | -                    |                |  |  |
|   | Not available.       |                |  |  |
| SECTION 12: Ecological informat                 | tio                  |                |  |  |
| 12.1. Toxicity                                  |                      |                |  |  |
| Hexylene Glycol                                 | Short-term toxic     | ity to fish: I | C50, 4 d: 8.51 - 13.5 g/L.               |  |
| , 3.,00.  |                      |                | ic invertebrates: LC50, 48 h: 5.41 g/L.  |  |
|   |                      |                | c invertebrates: EC50, 46 ii. 5.41 g/ E. |  |
| 12.2. Persistence and degradability             |                      | J. 3 3e        | , , - 0,                                 |  |
| Hexylene Glycol                                 | Readily biodegra     | idable.        |  |  |
| 12.3. Bioaccumulative potential                 | 1 22, 2.00.0810      |                |  |  |
| Hexylene Glycol                                 | log Kow <3           |                |  |  |

Ethanolamine Not available.

12.5. Results of PBT and vPvB assessment

log Kow ≤3

Hexylene Glycol

12.4. Mobility in soil

Product (and ingredients) does not meet the criteria for PBT or vPvB in accordance with Annex XIII

of REACH (Regulation (EC) No 1907/2006).

12.6. Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance.

13.1. Waste treatment methods

**Product:** 

Methods of disposal: Waste must be disposed of in accordance with federal, state and local environmental control

regulations. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers.

Hazardous waste: Within the present knowledge of the supplier, this product is regarded as hazardous waste, as

defined by EU Directive 91/689/EEC.

European waste catalogue

(EWC): Packaging: 20 01 29\* Detergents containing dangerous substances.

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Waste packaging should

be recycled. Can be added to general waste collection after completely emptying. Incineration or

landfill should only be considered when recycling is not feasible.

Within the present knowledge of the supplier, packaging is not regarded as hazardous waste, as

defined by EU Directive 91/689/EEC.

European waste catalogue

(EWC):

Container: 07 06 99-wastes not otherwise specified

# **SECTION 14: Transport information**

This preparation is classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

International transport regulations:

14.1. UN number This product does not require a classification for transport. 14.2. UN proper shipping name This product does not require a classification for transport.

14.3. Transport hazard class(es) This product does not require a classification for transport. This product does not require a classification for transport. 14.4. Packing group

14.5. Environmental hazards This product does not require a classification for transport.

14.6. Special precautions for user This product does not require a classification for transport.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the

**IBC Code** 

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures.

ADR - the European Agreement concerning the International Carriage of Dangerous Goods by Road, concluded at Geneva on 30 September 1957, as amended.

RID - the Regulations concerning the International Carriage of Dangerous Goods by Rail, appearing as Appendix C to the Convention concerning International Carriage by Rail (COTIF) concluded at Vilnius on 3 June 1999, as amended.

ADN - the European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways concluded at Geneva on 26 May 2000, as amended.

IMDG Code - International Maritime Dangerous Goods Code.

IATA/ICAO: ICAO - International Civil Aviation Organization. IATA - International Air Transport Association.

Not applicable.

MARPOL 73/78 - International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH):

Annex XIV - List of substances subject to authorization:

Substances of very high concern: None of the components are listed.

**Annex XVII - Restrictions** 

on the manufacture, placing on the market and use

of certain dangerous substances, mixtures and

articles:

15.2. Chemical safety assessment

Chemical Safety Assessment following regulation 1907/2006/EC:

Has not been done for the product.

Page: 7 of 8

## **SECTION 16: Other information**

#### Abbreviations and acronyms:

Full text of abbreviations CLP: Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: International Rule for Transport of Dangerous Substances by Railway

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

CAS: Chemical Abstracts Service

EINECS: European Inventory of Existing Commercial chemical Substances

LC50: Median lethal concentration

LD50: Median lethal dose

REACH: Registration, Evaluation and Authorisation of Chemicals

PBT: Persistent, bio-accumulative and toxic vPvB: Very persistent, very bio-accumulative

Full text of classifications and H

statements [CLP/GHS]:

Flam. Liq. 2, Flammable Liquids, Hazard Category 2;

H225 Highly flammable liquid and vapour.

Oxid. Liquid 1, Oxidizing Liquid, Hazard Category 1 H271 May cause fire or explosion; strong oxidizer Flam. Liq. 3, Flammable liquids, Hazard Category 3;

H226 Flammable liquid and vapour.

Met. Corr. 1, Corrosive to metals, Category 1

H290 May be corrosive to metals

**Skin Corr. 1A,** Skin corrosion, Category 1A H314 Causes severe skin burns and eye damage **Eye Damage 1,** Serious eye damage, Category 1

H318: Causes serious eye damage **Acute Tox.3,** Acute toxicity, Category 3

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

Acute Tox. 4, Acute toxicity (oral), Category 4

H332 Harmful if inhaled H302 Harmful if swallowed H312 Harmful in contact with skin Repr. 2, Reproductive toxicity, Category 2

 ${\sf H361}$  Suspected of damaging fertility or the unborn child

Skin Irrit. 2, Skin corrosion/irritation, Hazard Category 2;

H315 Causes skin irritation.

Eye Irrit. 2, Serious eye damage/eye irritation, Hazard Category 2;

H319 Causes serious eye irritation.

**Aquatic Acute 1**, Short-term (acute) aquatic hazard — Acute Hazard, Category 1.

H400 Very toxic to aquatic life.

Aquatic Chronic 1, Long-term (chronic) aquatic hazard, Category 1;

H410 Very toxic to aquatic life with long lasting effects. **STOT SE 3,** Specific target organ toxicity — single exposure;

H336 May cause drowsiness or dizziness.

**STOT SE 3,** Specific target organ toxicity — single exposure;

H335 May cause respiratory irritation.

Training advice:

In addition to health, safety and environmental training programs for their workers, companies must ensure that workers read, understand and apply the requirements of this SDS.

Key literature sources:

ECHA Database.

**DISCLAIMER OF LIABILITY:** 

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or method of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

**END OF SAFETY DATA SHEET**