

Lash
S U B L I M E
C O U T U R E

SAFETY DATA SHEETS
(SDS)

Document summary and viewer information:

This document contains the most up to date SDS for all Lash Sublime products. The information in this document is reliant upon the information provided to Lash Sublime by our manufacturers. Revisions or updates of all SDS are requested from our manufacturers regularly and at a minimum annually. Any queries regarding this document should be directed to the below email address.

On the following contents page, click on the links to view the SDS for each product.

Lash Sublime Pty Ltd
Shop 8, 3 La Fayette Blvd
Bibra Lake WA 6163
hello@sublime-e.com

Table of Contents

click on the product name to view the SDS for each product.

| | |
|--|---------------------------------------|
| Gentle Cream Remover | 3 |
| Primer..... | 7 |
| Lash Cleanser..... | 10 |
| Eye pads or Eyelash Patch | 14 |
| Lash Cleanser or Eye care Sachet | 18 |
| Super Bonder..... | 21 |
| Adhesive – Prima Donna | Error! Bookmark not defined. 6 |
| Adhesive – Clear as Day..... | 26 |
| Adhesive – Lash Divine | 3034 |

SAFETY DATA SHEET

Gentle Cream Remover

Last received: Aug 2022

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: Gentle Cream Remover

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: Eyelash Extension care

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|----------------------------|------------|------|
| PROPYLENE CARBONATE | 108-32-7 | 47.5 |
| ISODODECANE | 13475-82-6 | 1 |
| DISTEARDIMONIUM HECTORITE | 94891-31-3 | 15 |
| DIATOMACEOUS EARTH | 68855-54-9 | 10 |
| CELLULOSE ACETATE BUTYRATE | 9004-36-8 | 5 |
| QUATERNIUM-18 HECTORITE | 12001-31-9 | 5 |
| SQUALANE | 0111-01-03 | 1 |
| POLYSORBATE 80 | 9005-65-6 | 1 |
| BENZYL ALCOHOL | 100-51-6 | 0.5 |

SECTION 3 – HAZARDS IDENTIFICATION

PHYSICAL STATE : COMPARING SAMPLES

ODOR : COMPARING SAMPLES

MAJOR HEALTH HAZARDS : NO SIGNIFICANT TARGET EFFECTS REPORTED.

POTENTIAL HEALTH EFFECTS:

INHALATION :

SHORT TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

LONG TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

SKIN CONTACT :

SHORT TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

LONG TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

EYE CONTACT :

SHORT TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

LONG TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

INGESTION :

SHORT TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

LONG TERM EXPOSURE : NO INFORMATION ON SIGNIFICANT ADVERSE EFFECTS

SECTION 4 – FIRST AID MEASURES

Ingestion : OBTAIN MEDICAL ATTENTION

Inhalation : REMOVE FROM EXPOSURE TO FRESH AIR IF SYMPTOMATIC MOVE FROM EXPOSURE TO

FRESH AIR IF SYMPTOMATIC.

Eye contact : IMMEDIATELY IRRGATE THOROUGHLY WITH WATER FOR GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA : REGULAR DRY CHEMICAL, CARBON DIOXIDE, WATER, REGULAR FOAM.

LARGE FIRES : USE REGULAR FOAM OR FLOOD WITH FINE WATER SPRAY.

EXTINGUISHER METHODS : FOAM, CARBON DIOXIDE, DRY CHEMICAL.

SPECIAL FIRE FIGHTING PROCEDURES : WHEN INVOLVED IN A FIRE, THIS PRODUCT MAY IGNITE READILY AND DECOMPOSE TO PRODUCE CARBON OXIDE. PRESSURE BUILDUP MAY OCCUR DUE TO HEAT EXPOSURE OF CLOSED CONTAINERS. WATER MAY BE USED TO COOL CLOSED CONTAINERS.

WEAR SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS :

VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND TO A SOURCE OF IGNITION.

PREVENT BUILD-UP OF EXPLOSIVE GASES TO EXPLOSIVE CONCENTRATIONS.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE : AVOID HEAT, FLAMES, SPARKS AND OTHER SOURCES OF IGNITION. STOP LEAK IF POSSIBLE WITHOUT PERSONAL RISK. REDUCE VAPORS WITH WATER SPRAY.

SMALL SPILLS : ABSORB WITH SAND OR OTHER NON-COMBUSTIBLE MATERIAL. COLLECT SPILLED MATERIAL IN APPROPRIATE CONTAINER FOR DISPOSAL.

LARGE SPILLS : DIKE FOR LATER DISPOSAL. REMOVE SOURCES OF IGNITION. KEEP UNNECESSARY PEOPLE AWAY, ISOLATE HAZARD AREA AND DENY ENTRY.

SECTION 7 – HANDLING AND STORAGE

STORE AND HANDLE IN ACCORDANCE WITH ALL CURRENT REGULATIONS AND STANDARDS. PROTECTION AGAINST FIRE AND EXPLOSION

GROUNDING AND BONDING REQUIRED. KEEP SEPARATED FROM INCOMPATIBLE SUBSTANCES.

KEEP AWAY FROM HEAT. PROTECT FROM DIRECT SUNLIGHT. STORAGE TEMP. MAX.30°C

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

PROVIDE LOCAL EXHAUST VENTILATION SYSTEM. VENTILATION EQUIPMENT SHOULD BE EXPLOSION-RESISTANT

IF EXPLOSIVE CONCENTRATIONS OF MATERIAL ARE PRESENT, ENSURE COMPLIANCE WITH APPLICABLE EXPOSURE LIMITS.

EYE PROTECTION : WEAR SPLASH RESISTANT SAFETY GOGGLES. PROVIDE AN EMERGENCY EYE WASH FOUNTAIN AND QUICK DRENCH SHOWER IN THE IMMEDIATE WORK AREA.

CLOTHING : WEAR APPROPRIATE CHEMICAL RESISTANT CLOTHING.

GLOVES : WEAR APPROPRIATE CHEMICAL RESISTANT GLOVES.

RESPIRATOR : UNDER CONDITIONS OF FREQUENT USE OR HEAVY EXPOSURE, RESPIRATORY PROTECTION MAY BE NEEDED. RESPIRATORY PROTECTION IS RANKED IN ORDER FROM MINIMUM TO MAXIMUM.

CONSIDER

WARNING PROPERTIES BEFORE USE.

ANY CHEMICAL CARTRIDGE RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE(S).

ANY CHEMICAL CARTRIDGE RESPIRATOR WITH A FULL FACEPIECE AND ORGANIC VAPOR CARTRIDGE(S).

ANY AIR-PURIFYING RESPIRATOR WITH A FULL FACEPIECE AND AN ORGANIC VAPOR CANISTER.

FOR UNKNOWN CONCENTRATIONS OR IMMEDIATELY DANGEROUS TO LIFE OR HEALTH ANY SUPPLIED AIR RESPIRATOR WITH FULL FACEPIECE AND OPERATED IN A PRESSURE DEMAND OR

OTHER POSITIVE-PRESSURE MODE IN COMBINATION WITH A SEPARATE ESCAPE SUPPLY.
ANY SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : Appearance :

Odour :

FREEZING POINT : FLASH POINT : Specific gravity : WATER SOLUBILITY : VOLATILITY :
COMPARING SAMPLES COMPARING SAMPLES COMPARING SAMPLES NOT AVAILABLE
NOT AVAILABLE 0.98 - 1.30 (25°C) NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE

ODOR THRESHOLD :

COEFFICIENT OF WATER/OIL DISTRIBUTION : NOT AVAILABLE

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY : POLYMERIZES WITH EVOLUTION OF HEAT.

AVOID CONTACT WITH AIR, LIGHT, WATER OR STORAGE AND USE ABOVE ROOM TEMPERATURE.

CONDITIONS TO AVOID : AVOID HEAT, FLAMES, SPARKS AND OTHER SOURCES OF IGNITION. CONTAINERS
MAY

RUPTURE OR EXPLODE IF EXPOSED TO HEAT. KEEP OUT OF WATER SUPPLIES AND SEWERS.

INCOMPATIBILITIES :

OXIDIZING MATERIALS OXIDIZERS(STRONG) : FIRE AND EXPLOSION HAZARD HAZARDOUS DECOMPOSITION :

THERMAL DECOMPOSITION PRODUCTS : OXIDES OF CARBON POLYMERIZATION :

POLYMERIZES WITH EVOLUTION

OF HEAT. AVOID CONTACT WITH HEAT, AIR, LIGHT OR MOISTURE AND MONITOR INHIBITOR CONTENT.

SECTION 11 – TOXICOLOGICAL INFORMATION

INHALATION :

ACUTE EXPOSURE : MAY CAUSE IRRITATION.

CHRONIC EXPOSURE : NO DATA AVAILABLE.

SKIN CONTACT : ACUTE EXPOSURE : MAY CAUSE IRRITATION.

CHRONIC EXPOSURE : NO DATA AVAILABLE.

EYE CONTACT : ACUTE EXPOSURE : MAY CAUSE IRRITATION.

CHRONIC EXPOSURE : NO DATA AVAILABLE.

INGESTION : ACUTE EXPOSURE : NO DATA AVAILABLE.

SECTION 12 – ECOLOGICAL INFORMATION

DEGREE OF ELIMINATION : 20 - 70%

SECTION 13 – DISPOSAL CONSIDERATION

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

SECTION 14 – TRANSPORT INFORMATION

NOT CLASSIFIED AS HAZARDOUS UNDER TRANSPORT REGULATIONS.

SECTION 15 – REGULATORY INFORMATION

Labelling according E.E.C. directives : Not submitted to labelling

SECTION 16 – OTHER INFORMATION

This information is furnished without warranty, except that it is accurate to the best knowledge of the data on this sheet relates only to the specific material designated herein.

SAFETY DATA SHEET

Primer

Last received: March 2022

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: PRIMER

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: Lash Pre-treatment Primer

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|----------------------------|------------|------|
| PROPYLENE CARBONATE | 108-32-7 | 47.5 |
| ISODODECANE | 13475-82-6 | 1 |
| DISTEARDIMONIUM HECTORITE | 94891-31-3 | 15 |
| DIATOMACEOUS EARTH | 68855-54-9 | 10 |
| CELLULOSE ACETATE BUTYRATE | 9004-36-8 | 5 |
| QUATERNIUM-18 HECTORITE | 12001-31-9 | 5 |
| SQUALANE | 0111-01-03 | 1 |
| POLYSORBATE 80 | 9005-65-6 | 1 |
| BENZYL ALCOHOL | 100-51-6 | 0.5 |

SECTION 3 – HAZARDS IDENTIFICATION

PRIMARY ROUTE OF ENTRY: SKIN CONTACT, EYE CONTACT, INHALATION, INGESTION

SECTION 4 – FIRST AID MEASURES

Ingestion: GIVE WATER AND INDUCE VOMITING. GET MEDICAL HELP IF DISCOMFORT PERSISTS

Inhalation: REMOVE TO FRESH AIR. GET MEDICAL HELP IF DISCOMFORT PERSISTS.

Eye contact : FLUSH WITH WATER. GET MEDICAL HELP IF DISCOMFORT PERSISTS.

Skin Contact: WASH OFF WITH WATER

SECTION 5 – FIRE-FIGHTING MEASURES

Non-Flammable

SECTION 6 – ACCIDENTAL RELEASE MEASURES

LEAK AND SPILL PROCEDURE: MATERIAL IS VERY SLIPPERY WHEN WET. CLEAN UP BY SWEEPING, VACCUMING OR FLUSH WITH WATER.

SECTION 7 – HANDLING AND STORAGE

STORE IN A DRY AREA

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: PROPER VENTILATION TO MAINTAIN DUST LEVEL BELOW EXPOSURE LIMITS

PERSONAL PROTECTIVE EQUIPEMENT: NOT REQUIRED

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE: GRAY COLOUR

ODOR: ODORLESS

PH: N/DA

SPECIFICT GRAVITY: N/DA

BOILING POINT/FREEZING POINT: N/A

VAPOR PRESSURE: N/A

VAPOR DENSITY: N/A

EVAPORATION RATE: N/A

SOLUBILITY IN WATER: N/DA

FLASH POINT: N/A

UPPER EXPLOSION LIMIT: N/A

LOWER EXPLOSION LIMIT: N/A

EXPLOSION DATE: N/A

SENSITIVITY TO STATIC DISCHARGE: N/A

SECTION 10 – STABILITY AND REACTIVITY

CLEMICALLY STABLE: YES

COMPATIBLE WITH OTHER SUBSTANCES: YES

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

REACTIVITY AND UNDER WHAT CONDITIONS: N/A

SECTION 11 – TOXICOLOGICAL INFORMATION

NO KNOW EFFECTS OF ANY KIND

SECTION 12 – ECOLOGICAL INFORMATION

NO DATA AVAILABLE

SECTION 13 – DISPOSAL CONSIDERATION

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

SECTION 14 – TRANSPORT INFORMATION

NOT CLASSIFIED AS HAZARDOUS UNDER TRANSPORT REGULATIONS.

SECTION 15 – REGULATORY INFORMATION

NO DATA AVAILABLE

SECTION 16 – OTHER INFORMATION

NO DATA AVAILABLE

SAFETY DATA SHEET

Lash Cleanser

Last received: Aug 2022

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: LASH CLEANSER

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: PRE-LASH TREATMENT

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|-------------------------------|------------|-------|
| AMMONIUM LAURYL ETHER SULFATE | 32612-48-9 | 10% |
| DISODIUM EDTA | 139-33-3 | 0.2% |
| DISODIUM COCOAMPHODIACETATE | 68650-39-5 | 0.1% |
| GLYCERIN | 56-81-5 | 1% |
| PHENOXYETHANOL | 122-99-6 | 0.1% |
| CAB-35 COCAMIDOPROPYL BETAINE | 61789-40-0 | 1% |
| WATER | 7732-18-5 | 87.4% |

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: THIS PRODUCT IS A MANUFACTURED ARTICLE, NOT A SUBSTANCE OR PREPERATION. UNDER NORMAL CONDITION, THIS PRODUCT IS NOT CONSIDERED TO BE HAZARDOUS.

EYE: DOES NOT CAUSES EYE IRRITATION

SKIN: DOES NOT CAUSES SKIN IRRITATION

INGESTION: DOES NOT CAUSE GASTROINTESTINAL IRRITATION

INHALATION: DOES NOT CAUSE RESPRATORY TRACT IRRITATION

CHRONIC: NO INFORMATION FOUND

SECTION 4 – FIRST AID MEASURES

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical advice/attention if you feel unwell.

Skin contact: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Eye contact: Rinse cautiously with flowing water or saline for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Get medical advice/attention if you feel unwell. Rinse mouth.

SECTION 5 – FIRE-FIGHTING MEASURES

Specific hazards: This product is non-combustible

Auto-Ignition Temperature: N.A.

Flash point: N.A.

Explosive Limits: N.A.

Hazardous decomposition materials (under fire condition): Carbon Monoxide, Carbon dioxide.

Suitable extinguishing media: Foam, water spray, dry chemical powder, carbon dioxide.

Specific methods: Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable containers if safe to do so.

Special protective equipment for firefighters : Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. See Chapter 13 for information on disposal. Observe the relevant local and international regulations.

Personal precautions, protective equipment, and emergency procedures: Use extra personal protective equipment. Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.

Environmental precautions: Prevent product from entering drains.

Methods and materials for containment and cleaning up: Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations

Prevention of secondary hazards: Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire.

SECTION 7 – HANDLING AND STORAGE

Handling: Wash hands and face thoroughly after handling. Use with adequate ventilation. Handle the product does not generate dust. Avoid contact with high temperature, open fire.

Storage: Keep container tightly closed. Store in a cool, dark, and well-ventilated place, away from high temperature. Keep container tightly closed and sealed until ready for use. Store away from ignition sources and incompatible materials such as oxidizing agents.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: No special requirements.

Exposure limits: No data available

Personal protective equipment:

Respiratory protection: Respirator for protection against particles

Hand protection: Protective gloves

Eye / Face protection: Safety glasses.

Skin and body protection: Appropriate protective clothing, gloves, and shoes.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical appearance(20oC): White foam

Odour: Slight odour

odour threshold: No data available

Ph: No data available

Boiling point/range: No data available

Melting point/range: No data available

Flash Point: No data available

Explosion Limits

Lower: No data available

Upper: No data available

Ignition Temperature: No data available

Vapour Pressure: No data available

Vapour Density: No data available

Density: No data available

Solubility: Soluble in water

SECTION 10 – STABILITY AND REACTIVITY

Stability: This material is stable under normal conditions.

Reactivity: No special reactivity has been reported.

Conditions to avoid: Excess heat, ignition sources, incompatible materials.

Incompatible materials: Strong oxidizing agents, strong acids, strong alkalis

Hazardous decomposition products: Carbon Monoxide, Carbon dioxide

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available

Skin corrosion/irritation: Not expected to be irritating.

Serious eye damage/irritation: Not expected to be irritating.

Respiratory Irritation: Not expected to be irritating.

Respiratory or Skin Sensitisation: Not expected to be a skin sensitiser.

Aspiration Hazard: No data available

Germ cell mutagenicity: No data available

Carcinogenicity: No data available

IARC: No Data available

NTP: No Data Available

Reproductive toxicity: No data available

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence/ degradability: No data available

Bio accumulative potential (BCF): No data available

Mobility in soil: No data available

SECTION 13 – DISPOSAL CONSIDERATION

Material Disposal: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not

dispose into the environment, in drains or in water courses.

Container Disposal: Dispose in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.

Local Legislation: Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14 – TRANSPORT INFORMATION

Land (as per ADR classification): This substance is not classified as dangerous under ADR regulations.

IMDG: This substance is not classified as dangerous under IMDG regulations.

IATA (Country variations may apply): This substance is not classified as dangerous under IATA regulations.

DOT (US): This substance is not classified as dangerous under DOT regulations.

SECTION 15 – REGULATORY INFORMATION

This substance is not regulated as a dangerous substance. For details regulations you should contact the appropriate agency in your country. European/International Regulations

European Labelling in Accordance with EC Directives

Hazard Symbols: Not applicable

Risk Phrases Not applicable

Safety Phrases Not applicable

SECTION 16 – OTHER INFORMATION

This MSDS was prepared sincerely on the basis of the information we could obtain; however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. Products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.

PRODUCT PHOTO



SAFETY DATA SHEET

Eye pads or Eyelash Patch

Last received: November 2021

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: Eye pads or Eyelash Patch

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: Lash Accessories

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|--------------|------------|-------|
| WATER | 7732-18-5 | 44.9% |
| HYDROGEL | 25852-47-5 | 35% |
| GLYCEROL | 56-81-5 | 10% |
| ALOE EXTRACT | 85507-69-3 | 5% |
| VITAMIN C | 50-81-7 | 5% |

SECTION 3 – HAZARDS IDENTIFICATION

Emergency overview: Not likely to be an irritant in the solid form. Burning produces obnoxious and toxic fumes. Not Likely to form a dust in the solid filament form.

Potential Acute Health Effects:

Eye: may cause irritation

Skin: Prolonged exposure may cause irritation

Ingestion: unknown

Inhalation: unknown

Potential Chronic Health Effects:

Carcinogenic, Mutagenic Teratogenic, Effects and Developmental Toxicity: No known effects

Reported as carcinogen: N/A

SECTION 4 – FIRST AID MEASURES

Eye contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops or persists.

Skin contact: Wash affected area with mild soap and water

Inhalation: Remove to fresh air. No specific treatment is necessary since this material is not likely to be hazardous by inhalation. Call a physician if symptoms develop or persist.

Ingestion: Drink water as a precaution. No need for first aid is anticipated if material is swallowed. If ingestion of a large amount does occur, seek medical attention.

SECTION 5 – FIRE-FIGHTING MEASURES

Flash Point: N/A

Suitable extinguishing media:

Small fires: Dry chemical, CO₂, water spray, regular foam

Large Fires: water spray, fog, regular foam

Unsuitable extinguishing media: N/A

Fire Explosion Hazards: There is no fire or explosion hazard of this product when used in instruction

Fire fighting instructions: Fire-fighters should wear appropriate protective equipment and wear approved self-contained breathing apparatus if flames are present.

Special measures: N/A

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Evacuation Procedures: Isolate area. Keep unnecessary personnel away. Persons not wearing appropriate protective equipment should be excluded from area of spill until clean-up has been completed.

Containment procedures: Stop leak if you can do so without risk. Dike the spilled material, where this is possible.

Personal precautions: Keep unnecessary personal away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

SECTION 7 – HANDLING AND STORAGE

Handling: Keep this product from heat, sparks, or open flames. Do not mix this product with fluids which contain NITRITES/NITRATES. Avoid prolonged or repeated skin contact with this material. Avoid breathing vapours or mists of this product. Wash hands after handling and before eating. Flood lubricant for industrial use only. Store at temperatures between 50F and 100F. Protect from Freezing, if frozen, thaw to room temperature and agitate.

Storage: No special storage conditions required. Use care in handling/storage. Keep container closed when not in use.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: General room ventilation is adequate for storage and ordinary handling

Personal Protection:

Respiratory protection: No personal respiratory protective equipment

Hand Protection: Wear appropriate chemical restraint gloves

Eye protection: wear safety glasses with side shields, if splashes are likely to occur, wear face shield.

Skin protection: Normal work clothing is recommended, wear safety shoes,

General: avoid contact with skin and eyes. Wear suitable protective equipment.

Respirators: For most situations, no respiratory protection should be needed.

Exposure limits: none known

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid

Colour: white

odour: Odorless

Solubility: in solubility

SECTION 10 – STABILITY AND REACTIVITY

Stability: This product is stable

Instability Temp: not available

Materials to avoid: Strong oxidising agents' strong acids or strong alkalis

Conditions to avoid: High temperatures

Incompatible with: Reactive with oxidising agents

Polymerization: Will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

Toxicity to animals: LD50 Not available LC50 Not available

Chronic Effects: none known

Target organs: none known

Special remarks: on toxicity to animals: Not available

Special remarks on chronic effects on humans: not available

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: N/A

BOD5 and COD: N/A

Product of Biodegradation: Not Determined

Toxicity of Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special remarks: N/A

SECTION 13 – DISPOSAL CONSIDERATION

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14 – TRANSPORT INFORMATION

DOT Class: N/A

IATA: Not regulated as dangerous goods
IMDG Class: N/A

SECTION 15 – REGULATORY INFORMATION

Regulatory information: Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of chemicals (GHS) including work, health and safety regulations, Australia classified as a scheduled poison according to the standard for the uniform scheduling of medicines and poisons

European Labelling in accordance with EC Directives: N/A

HMIS (USA): Health Hazard: 0, Fire Hazard: 1, Reactivity: 0, Personal Protection

Federal and State Regulations: Not Controlled

Canada-WHMIS: Not controlled.

SECTION 16 – OTHER INFORMATION

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available after the date hereof may suggest modifications of the information. We do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

SAFETY DATA SHEET

Lash Cleanser or Eye care Sachet

Last received: November 2021

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: (Sample) lash cleanser or Eye care Sachet

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: Pre-Lash treatment

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|--|--|-----|
| AQUA (WATER) | 7732-18-5 | A |
| SODIUM LAURETH SULFATE | 68585-34-2 | C |
| PROPYLENE GLYCOL | 57-55-6 | C |
| LAURYL BETAINE | 683-10-3 | E |
| DISODIUM LAURETH SULFOSUCCINATE | 68815-56-5 | E |
| CARBOMER | 9007-20-9/ 9003-01-4/ 76050-42-5/ 9062-04-8/ 9007-16-3/ 9007-17-4 | E |
| TRIETHANOLAMINE | 102-71-6 | F |
| MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL | 85085-48-9/ 8022-72-8/ 68647-73-4 | F |
| PARFUM | | F |
| IMIDAZOLIDINLY UREA | 39236-46-9 | F |
| TETRASODIUM GLUTAMATE DIACETATE | 051981-21-6/ 001310-73-2 | G |
| BENZYL SALICYLATE | 118-58-1 | G |
| BUTYLPHENYL METHYLPROPIONAL | 80-54-6 | G |
| CITRONNELLOL | 106-222-9 | G |
| COUMARIN | 91-64-5 | G |
| GERANIOL | 106-24-1 | G |
| HEXYL CINNAMAL | 101-86-0 | G |
| LINALOOL | 78-70-6 | G |

SECTION 3 – HAZARDS IDENTIFICATION

No Specific Hazards encountered under normal conditions of use.

SECTION 4 – FIRST AID MEASURES

Inhalation: Not Applicable

Skin Contact: Cosmetic product intended for use on the skin

Eye contact: Essentially non-hazardous. If causes irritation, rinse eye with water.

Ingestion: Essentially non-hazardous, rinse mouth with water. Consult a medical practitioner if large quantities are ingested.

SECTION 5 – FIRE-FIGHTING MEASURES

Product is not highly flammable

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Product is not toxic to individuals or the environment

SECTION 7 – HANDLING AND STORAGE

No special precautions will be required. Product should ideally be stored in a cool facility.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Product is not toxic to individuals or the environment, therefore no threat to exposure

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Smooth Cream

Odour: Characteristic

Colour: White

Moisture: Not determined

Viscosity: 20000 – 50000cpc (Brookfield RVT, Spindle 4 @ 12rpm)

PH@25 C: 5.00 – 6.00

Specific Gravity: 0.90 – 1.00g/ml @25degree C

SECTION 10 – STABILITY AND REACTIVITY

Product is a stable compound no known reactivity

SECTION 11 – TOXICOLOGICAL INFORMATION

Nontoxic product

SECTION 12 – ECOLOGICAL INFORMATION

No data available

SECTION 13 – DISPOSAL CONSIDERATION

Product Disposal: This product should be disposed of in accordance with local regulations and should not be directly entered into the sewerage systems, nor should it be disposed of into the environment.

Packaging disposal: The packaging should be disposed of in accordance with the local regulations.

SECTION 14 – TRANSPORT INFORMATION

Classified as not hazardous for transportation

SECTION 15 – REGULATORY INFORMATION

All ingredients used in this product are deemed safe to use and are not regulated

SECTION 16 – OTHER INFORMATION

Disclaimer: This MSDS is intended to provide a summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by the manufacturing company to be dependable and is accurate to the best of the companies' knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith.

SAFETY DATA SHEET

Super Bonder

Last received: April 2021

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: Super Bonder

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: Lash Products

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|------------------|-------------|-----|
| DI-WATER | 7732-18-5 | 20 |
| ETHYL ALCOHOL | 64-17-5 | 40 |
| TITANATE L12 | 110438-25-0 | 20 |
| ALKOXY SILANE | 2530-87-2 | 17 |
| SODIUM GLUCONATE | 527-07-1 | 3 |

SECTION 3 – HAZARDS IDENTIFICATION

Hazard Risk Classification:

Skin Corrosion/Irritation : Category 2

Eye Corrosion/Irritation : Category 2

Label elements including precautionary statements

oSymbol



oSignal Word : Warning

oHazard Risk Statement

H315: Causes skin irritation

H319: Causes serious eye irritation

H413 May cause long lasting harmful effects to aquatic life

oPrecautionary Statement

-Prevention precautionary statements

P264 Wash ... thoroughly after handling

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

-Response precautionary statements

P302+P352 IF ON SKIN: Wash with soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P321 Specific treatment (see ... on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention

P337+P313 If eye irritation persists get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

-Storage precautionary statements

Not applicable, not available

-Disposal precautionary statements

P501 Dispose of contents/container to ...

Other hazards that do not list under the category : No data available.

SECTION 4 – FIRST AID MEASURES

Eye contact

Wash eyes immediately with large amounts of water.

Get medical attention immediately.

Skin contact

Wash with mild soap and water. If irritation occurs, get medical attention.

If clothing is contaminated, remove and wash before reuse.

Inhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Call a physician

Ingestion

If conscious, give plenty of water to drink. Get medical attention.

If unconscious, do not give anything to drink. Get immediate medical attention. e) Indication of immediate medical attention and notes for physician

SECTION 5 – FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

: water, water spray, foam, carbon dioxide(CO₂), dry powder.

Specific hazards arising from the chemical : Not applicable

Special protective equipment and precautions for fire-fighters : Not applicable

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Put on appropriate personal protective equipment

Stop leak if without risk

Environmental precautions and protective procedures

Do not allow product to enter drains. Prevent further spillage if safe.

Methods and materials for containment and cleaning up

Dilute with water and mop up if water-soluble or absorb with an inert dry material

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with eyes, skin, and clothing.

Conditions for safe storage (including any incompatibilities)

Keep out of the reach of children.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters (e.g. occupational exposure limit values, biological limit values) : No exposure limit value known

Appropriate engineering controls : Not applicable

Personal protective equipment : Not applicable

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc) : Form - Liquid, Colour – Colourless, light yellow b)

Odour : Mild odour

Odour threshold : No data available.

pH : No data available.

Melting point/freezing point : No data available.

Initial boiling point and boiling range : No data available.

Flashing point : No data available.

Evaporation rate : Not applicable

Flammability (solid, gas) : Non-combustible

Upper/lower flammability or explosive limits : No data available.

Vapor pressure : No data available.

Solubility : Water soluble

Vapor density : No data available.

Density : No data available.

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Formula mass : No data available

SECTION 10 – STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions

Stable under recommended storage conditions

Hazardous Polymerization

-Under normal conditions of storage and use, hazardous polymerization will not occur

Incompatible materials

Reactive or incompatible with the following materials: oxidizing materials, Strong alkaline

Hazardous decomposition products :

carbon oxides (CO, CO₂, etc)

SECTION 11 – TOXICOLOGICAL INFORMATION

General toxicological information : No data available

Acute toxicity

- Oral : No data available

- Dermal : No data available -

Inhalation : No data available

Irritation

- Skin : May cause irritation to eyes and skin

- Eye damage/eye irritation : May cause irritation to eyes and skin

Respiratory sensitization : No data available

Skin sensitization : No data available

Carcinogenicity : No data available

Germ Cell Mutagenicity : No data available

Reproductive toxicity : No data available

Specific target organ toxicity (single exposure) : No data available

Specific target organ toxicity (repeated exposure): No data available

Aspiration hazard : No data available

SECTION 12 – ECOLOGICAL INFORMATION

Aquatic and terrestrial ecotoxicity : No data available

Persistence and degradability : No data available

Bio accumulative potential : No data available

Mobility in soil : No data available

Other adverse effects : No data available

SECTION 13 – DISPOSAL CONSIDERATION

Waste treatment methods: not applicable

SECTION 14 – TRANSPORT INFORMATION

- a) UN number : Not regulated

- b) UN proper shipping name : Not regulated

- c) Transport hazard class : Not regulated
- d) Packing group (if applicable) : Not regulated

SECTION 15 – REGULATORY INFORMATION

This product is not a hazardous article and need not to be labelled according to EC-Directives as amended

Inventory status :

TSCA(USA) : DSL(Canada) : ALCS(Australia) : Complies with all applicable rules or orders under TSCA. All components listed on inventory. All components listed on inventory.

ECL(Korea) : All components listed on inventory.

SECTION 16 – OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text. Please consult your local sales representative for any further information.

SAFETY DATA SHEET

Adhesive – Prima Donna

Last revision: 17th January 2023

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: DA LS PRIMA DONNA

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: ADHESIVES

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|--|------------|------|
| ALKOXY2-CYANOACRYLATE CH₂=C(CN)-COOCH₂CH₂OCH₂CH₃ | 21982-43-4 | 90%< |
| L,4-DIHYDROXYBENZENE | 123-31-9 | 1%> |
| POLYMETHYL METHACRYLATE | 9011-14-7 | 9%> |
| | | |
| | | |

SECTION 3 – HAZARDS IDENTIFICATION

Vapor is irritating to the eyes, skin and mucous membranes and respiratory tract.
May cause sensitization by inhalation. Narcotic effects, headache, dizziness, vomiting.
Skin: dryness Eye: irritation

SECTION 4 – FIRST AID MEASURES

Ingestion: Ingestion is not likely. See supplemental page for emergency procedures. Inhalation: Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.
Skin contact: Remove contaminated clothing. Wash contact areas with soap and much water. Eye contact: Flush thoroughly with fresh water for at least 15 min. Get medical assistance immediately.

SECTION 5 – FIRE-FIGHTING MEASURES

Flash Point: Above 95°C Method: Cleveland open cup. (Recommended)
Extinguishing agents: Carbon dioxide, form, dry chemical
Special firefighting procedures: Not available
Hazardous products formed by fire or thermal decomposition. Irritating organic fragments.
Unusual fire or explosion hazards: None Explosive Limits:

(%by volume in air) Lower Not available
(%by volume in air) Upper Not available

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Evacuate non-essential personnel.
Shut off all sources of ignition: No fires, smoking or flames in area.
Ventilate area after material pick up is completed.
For small spills:
Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste container using non-sparking tools. Flush residual spill (area) with plenty of water.
For large spills:
Dike for later disposal. Wash with plenty of water

SECTION 7 – HANDLING AND STORAGE

Handling: Keep away from sources of ignition and heat. No smoking or flames in working area.
Take precaution measures against static discharges.
Avoid contact with skin and eyes.
Wear proper protective equipment.
Use only in well-ventilated areas.
Use exhaust ventilation to keep air concentration below exposure limit.
Keep container tightly closed when not in use.
Install emergency showers and eye wash facility in working area.

Storage: Keep away from all possible source of ignition.
Store in a cool, dry, well-ventilated location.
Keep container tightly closed.
Keep away from combustible materials, heat, steam pipe or sunlight.
Keep away from oxidizing materials.
Other Precautions:
Wash hands, face and gargle after work.
Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room.
Keep out of reach of children.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type):
Chemical cartridge respirator with organic vapor.
Local exhaust Special
Should be used control vapours in work area.
Mechanical (General) -other
Should use a breathing mask.
Protective gloves: Polyethylene gloves. No rubber.
Eye protection: Safely glasses, face shield.
Skin protection: Other protective clothing or Equipment impervious clothing, apron and boots. Barrier creams, etc.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Black Liquid
Odor: Odorless, irritating.
Boiling point: Above 190 °C
Melting point: N/A
Specific gravity H₂O =1):0.9 - 1.1

Vapor pressure (at25"): 1Pa
Vapor density <Air =1): 4.9
Evaporation rate <Butyl acetate =1): N/A
Solubility in water: insoluble (polymerized by water)

SECTION 10 – STABILITY AND REACTIVITY

Condition to avoid: High humidity, high temperature-e or direct sunlight.
Stability: Stable Cool and dry area.
Materials to avoid: Polymerized by contact with water, alcohols. Amines, alkalies.
Hazardous decomposition or by products: CO2. oxides and nitrogen and unknown hydrocarbons.

SECTION 11 – TOXICOLOGICAL INFORMATION

Toxicity: Skin contact may cause burns. Bond skin rapidly and strongly.
Skin and eye may be irritant.
Oral LD50 : 6760mg /kg in rat. (Acute) <Pro forma amount) allied substance
Routes of entry: inhalation (Yes), Skin (Yes), ingestion (Yes)
Carcinogen etc: See Section 3

SECTION 12 – ECOLOGICAL INFORMATION

None known

SECTION 13 – DISPOSAL CONSIDERATION

Waste disposal method:
Don't pour down drain. Follow domestic and local environmental regulations.
Precautions to be taken in handling and storage.
Avoid unnecessary exposure to air and moisture. Don't store above 25% and in direct sunlight.
Keep container lids tightly closed.
Other precautions"
Avoid contact with skin and eyes. Protect eyes, skin and clothing from contact with liquid product. Wear recommended equipment.

SECTION 14 – TRANSPORT INFORMATION

DOT (49 CFR 172) Domestic ground transport

Proper shipping name:
Unrestricted (Not more than 450 litres.)
Combustible liquids n.o.s.(Cyanoacrylate ester) (More than 450 litres)

Hazard class or division:
Unrestricted (Not more than 450 litres)
Combustible liquids. (More than 450 litres)
Identification number: None <Not more than 450 litres.)
NA1993 (More than 450 litres)
Marine pollutant: None.

IATA
Proper shipping name: Unrestricted

Class or division:
Unrestricted

UN or ID number:
None

SECTION 15 – REGULATORY INFORMATION

CA Proposition 65:
No California proposition 65 chemicals are known to be present.

SECTION 16 – OTHER INFORMATION

Estimated NFPA Code •HMIS is a registered trademark of the National Fire Protection Assn.
Health Hazard: 2
Fire Hazard: 2
Reactivity Hazard: 1
Specific Hazard: Does not apply.

Estimated HMIS Code: •HMIS is a registered trademark of the National Paint and Coatings Assn.
Health Hazard: 2
Flammability Hazard: 2

Note

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process. Lash Sublime Pty Ltd assume no responsibility for use or reliance of this information.

SAFETY DATA SHEET

Adhesive – Clear as Day

Last revision: 17th January 2023

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: DA LS CLEAR AS DAY

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: ADHESIVES

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|--|------------|------|
| ALKOXY2-CYANOACRYLATE CH₂=C(CN)-COOCH₂CH₂OCH₂CH₃ | 21982-43-4 | 90%< |
| L,4-DIHYDROXYBENZENE | 123-31-9 | 1%> |
| POLYMETHYL METHACRYLATE | 9011-14-7 | 9%> |
| | | |
| | | |

SECTION 3 – HAZARDS IDENTIFICATION

Vapor is irritating to the eyes, skin and mucous membranes and respiratory tract.
May cause sensitization by inhalation. Narcotic effects, headache, dizziness, vomiting.
Skin: dryness Eye: irritation

SECTION 4 – FIRST AID MEASURES

Ingestion: Ingestion is not likely. See supplemental page for emergency procedures. Inhalation: Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.
Skin contact: Remove contaminated clothing. Wash contact areas with soap and much water. Eye contact: Flush thoroughly with fresh water for at least 15 min. Get medical assistance immediately.

SECTION 5 – FIRE-FIGHTING MEASURES

Flash Point: Above 95°C Method: Cleveland open cup. (Recommended)
Extinguishing agents: Carbon dioxide, foam, dry chemical
Special firefighting procedures: Not available
Hazardous products formed by fire or thermal decomposition. Irritating organic fragments.
Unusual fire or explosion hazards: None Explosive Limits:
(%by volume in air) Lower Not available
(%by volume in air) Upper Not available

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Evacuate non-essential personnel.
Shut off all sources of ignition: No fires, smoking or flames in area.
Ventilate area after material pick up is completed.
For small spills:
Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste container using non-sparking tools. Flush residual spill (area) with plenty of water.
For large spills:
Dike for later disposal. Wash with plenty of water

SECTION 7 – HANDLING AND STORAGE

Handling: Keep away from sources of ignition and heat. No smoking or flames in working area.
Take precaution measures against static discharges.
Avoid contact with skin and eyes.
Wear proper protective equipment.
Use only in well-ventilated areas.
Use exhaust ventilation to keep air concentration below exposure limit.
Keep container tightly closed when not in use.
Install emergency showers and eye wash facility in working area.

Storage: Keep away from all possible source of ignition.
Store in a cool, dry, well-ventilated location.
Keep container tightly closed.
Keep away from combustible materials, heat, steam pipe or sunlight.
Keep away from oxidizing materials.
Other Precautions:
Wash hands, face and gargle after work.
Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room.
Keep out of reach of children.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type):
Chemical cartridge respirator with organic vapor.
Local exhaust Special
Should be used control vapours in work area.
Mechanical (General) -other
Should use a breathing mask.
Protective gloves: Polyethylene gloves. No rubber.
Eye protection: Safety glasses. face shield.

Skin protection: Other protective clothing or Equipment impervious clothing, apron and boots. Barrier creams. etc.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Black Liquid
Odor: Odorless. irritating.
Boiling point: Above 190 °C
Melting point: N/A
Specific gravity H₂O =1): 0.9 - 1.1
Vapor pressure (at 25 °C): 1 Pa
Vapor density <Air =1): 4.9
Evaporation rate <Butyl acetate =1): N/A
Solubility in water: insoluble (polymerized by water)

SECTION 10 – STABILITY AND REACTIVITY

Condition to avoid: High humidity, high temperature or direct sunlight.
Stability: Stable Cool and dry area.
Materials to avoid: Polymerized by contact with water, alcohols. Amines, alkalis.
Hazardous decomposition or by products: CO₂. oxides and nitrogen and unknown hydrocarbons.

SECTION 11 – TOXICOLOGICAL INFORMATION

Toxicity: Skin contact may cause burns. Bond skin rapidly and strongly.
Skin and eye may be irritant.
Oral LD₅₀ : 6760 mg /kg in rat. (Acute) <Pro forma amount) allied substance
Routes of entry: inhalation (Yes), Skin (Yes), ingestion (Yes)
Carcinogen etc: See Section 3

SECTION 12 – ECOLOGICAL INFORMATION

None known

SECTION 13 – DISPOSAL CONSIDERATION

Waste disposal method:
Don't pour down drain. Follow domestic and local environmental regulations.
Precautions to be taken in handling and storage.
Avoid unnecessary exposure to air and moisture. Don't store above 25% and in direct sunlight.
Keep container lids tightly closed.
Other precautions"
Avoid contact with skin and eyes. Protect eyes, skin and clothing from contact with liquid product. Wear recommended equipment.

SECTION 14 – TRANSPORT INFORMATION

DOT (49 CFR 172) Domestic ground transport

Proper shipping name:
Unrestricted (Not more than 450 litres.)
Combustible liquids n.o.s.(Cyanoacrylate ester) (More than 450 litres)

Hazard class or division:
Unrestricted (Not more than 450 litres)
Combustible liquids. (More than 450 litres)
Identification number: None <Not more than 450 litres.)
NA1993 (More than 450 litres)
Marine pollutant: None.

IATA
Proper shipping name: Unrestricted

Class or division:
Unrestricted

UN or ID number:
None

SECTION 15 – REGULATORY INFORMATION

CA Proportion 65:
No California proposition 65 chemicals are known to be present.

SECTION 16 – OTHER INFORMATION

Estimated NFPA Code •HMIS is a registered trademark of the National Fire Protection Assn.
Health Hazard: 2
Fire Hazard: 2
Reactivity Hazard: 1
Specific Hazard: Does not apply.

Estimated HMIS Code: •HMIS is a registered trademark of the National Paint and Coatings Assn.
Health Hazard: 2
Flammability Hazard: 2

Note

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process. Lash Sublime Pty Ltd assume no responsibility for use or reliance of this information.

SAFETY DATA SHEET

Adhesive – Lash Divine

Last revision: 17th January 2023

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: DA LS LASH DIVINE

COMPANY IDENTIFICATION: Lash Sublime, shop 8, 3 La Fayette Blvd Bibra Lake

CATAGORY: ADHESIVES

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

| INGREDIENTS | CAS NO | %WT |
|--|------------|------|
| ALKOXY2-CYANOACRYLATE CH₂=C(CN)-COOCH₂CH₂OCH₂CH₃ | 21982-43-4 | 90%< |
| L,4-DIHYDROXYBENZENE | 123-31-9 | 1%> |
| POLYMETHYL METHACRYLATE | 9011-14-7 | 9%> |
| | | |
| | | |

SECTION 3 – HAZARDS IDENTIFICATION

Vapor is irritating to the eyes, skin and mucous membranes and respiratory tract.
May cause sensitization by inhalation. Narcotic effects, headache, dizziness, vomiting.
Skin: dryness Eye: irritation

SECTION 4 – FIRST AID MEASURES

Ingestion: Ingestion is not likely. See supplemental page for emergency procedures. Inhalation: Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.
Skin contact: Remove contaminated clothing. Wash contact areas with soap and much water. Eye contact: Flush thoroughly with fresh water for at least 15 min. Get medical assistance immediately.

SECTION 5 – FIRE-FIGHTING MEASURES

Flash Point: Above 95°C Method: Cleveland open cup. (Recommended)
Extinguishing agents: Carbon dioxide, foam, dry chemical
Special firefighting procedures: Not available
Hazardous products formed by fire or thermal decomposition. Irritating organic fragments.
Unusual fire or explosion hazards: None Explosive Limits:
(%by volume in air) Lower Not available
(%by volume in air) Upper Not available

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Evacuate non-essential personnel.
Shut off all sources of ignition: No fires, smoking or flames in area.
Ventilate area after material pick up is completed.
For small spills:
Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste container using non-sparking tools. Flush residual spill (area) with plenty of water.
For large spills:
Dike for later disposal. Wash with plenty of water

SECTION 7 – HANDLING AND STORAGE

Handling: Keep away from sources of ignition and heat. No smoking or flames in working area.
Take precaution measures against static discharges.
Avoid contact with skin and eyes.
Wear proper protective equipment.
Use only in well-ventilated areas.
Use exhaust ventilation to keep air concentration below exposure limit.
Keep container tightly closed when not in use.
Install emergency showers and eye wash facility in working area.

Storage: Keep away from all possible source of ignition.
Store in a cool, dry, well-ventilated location.
Keep container tightly closed.
Keep away from combustible materials, heat, steam pipe or sunlight.
Keep away from oxidizing materials.
Other Precautions:
Wash hands, face and gargle after work.
Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room.
Keep out of reach of children.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type):
Chemical cartridge respirator with organic vapor.
Local exhaust Special
Should be used control vapours in work area.
Mechanical (General) -other
Should use a breathing mask.
Protective gloves: Polyethylene gloves. No rubber.
Eye protection: Safety glasses. face shield.

Skin protection: Other protective clothing or Equipment impervious clothing, apron and boots. Barrier creams. etc.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Black Liquid
Odor: Odorless. irritating.
Boiling point: Above 190 °C
Melting point: N/A
Specific gravity H₂O =1): 0.9 - 1.1
Vapor pressure (at 25 °C): 1 Pa
Vapor density <Air =1): 4.9
Evaporation rate <Butyl acetate =1): N/A
Solubility in water: insoluble (polymerized by water)

SECTION 10 – STABILITY AND REACTIVITY

Condition to avoid: High humidity, high temperature or direct sunlight.
Stability: Stable Cool and dry area.
Materials to avoid: Polymerized by contact with water, alcohols. Amines, alkalies.
Hazardous decomposition or by products: CO₂. oxides and nitrogen and unknown hydrocarbons.

SECTION 11 – TOXICOLOGICAL INFORMATION

Toxicity: Skin contact may cause burns. Bond skin rapidly and strongly.
Skin and eye may be irritant.
Oral LD₅₀ : 6760 mg /kg in rat. (Acute) <Pro forma amount) allied substance
Routes of entry: inhalation (Yes), Skin (Yes), ingestion (Yes)
Carcinogen etc: See Section 3

SECTION 12 – ECOLOGICAL INFORMATION

None known

SECTION 13 – DISPOSAL CONSIDERATION

Waste disposal method:
Don't pour down drain. Follow domestic and local environmental regulations.
Precautions to be taken in handling and storage.
Avoid unnecessary exposure to air and moisture. Don't store above 25% and in direct sunlight.
Keep container lids tightly closed.
Other precautions"
Avoid contact with skin and eyes. Protect eyes, skin and clothing from contact with liquid product. Wear recommended equipment.

SECTION 14 – TRANSPORT INFORMATION

DOT (49 CFR 172) Domestic ground transport

Proper shipping name:
Unrestricted (Not more than 450 litres.)
Combustible liquids n.o.s.(Cyanoacrylate ester) (More than 450 litres)

Hazard class or division:
Unrestricted (Not more than 450 litres)
Combustible liquids. (More than 450 litres)
Identification number: None <Not more than 450 litres.)
NA1993 (More than 450 litres)
Marine pollutant: None.

IATA
Proper shipping name: Unrestricted

Class or division:
Unrestricted

UN or ID number:
None

SECTION 15 – REGULATORY INFORMATION

CA Proportion 65:
No California proposition 65 chemicals are known to be present.

SECTION 16 – OTHER INFORMATION

Estimated NFPA Code •HMIS is a registered trademark of the National Fire Protection Assn.
Health Hazard: 2
Fire Hazard: 2
Reactivity Hazard: 1
Specific Hazard: Does not apply.

Estimated HMIS Code: •HMIS is a registered trademark of the National Paint and Coatings Assn.
Health Hazard: 2
Flammability Hazard: 2

Note

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process. Lash Sublime Pty Ltd assume no responsibility for use or reliance of this information.